

USE OF THE UKAS SYMBOL BY CERTIFIED CLIENTS

Document #: F205-1-UKAS

Release Date: 14-MAR-2025

Page 1 of 2

Management System Certification



See notes below

An Intertek Certified organization, under a UKAS accredited scheme, may use the UKAS accreditation logo and symbols only in conjunction with Intertek's symbol on the organisation's stationery and literature, and its advertising, subject to UKAS's and Intertek's conditions for use for the logos and symbols. The size of the UKAS symbol must not exceed the size of Intertek's symbol and the organization may not place the UKAS accreditation symbol in isolation from Intertek's symbol. For the purposes of the conditions of use, the term 'publicity material' shall not include notices, labels, documents or written announcements affixed to or otherwise appearing on goods or products unless the goods or products have been manufactured under an accredited product conformity scheme.

This restriction shall also apply to primary (e.g. blister packs) packaging and promotional products.

For the purposes of these conditions the terms 'publicity material' and 'advertisements' shall not include notices, labels, documents or written announcements affixed to or otherwise appearing on the vehicles or flags of the UKAS accredited organisation or in the case of accredited certification bodies their certified clients.

These restrictions may be extended to other items, goods or products as the Secretary of State may determine from time to time.

(a) The national accreditation logo and the national accreditation symbols shall not be displayed by UKAS, and national accreditation symbols shall not be displayed by UKAS accredited organisations or their clients, on any vehicle.

(b) The national accreditation symbols shall not be displayed on buildings and flags.

(c) UKAS may display the national accreditation logo and national accreditation symbols on its building, internal walls and doors, and on exhibition stands.

(d) UKAS accredited organisations may display their national accreditation symbols on internal walls and doors, and on exhibition stands.



The UKAS accreditation symbol shall be reproduced:

- In either black and white or the colour scheme: Purple / White (Pantone 2685 C)
- Alternatively, the *national accreditation symbols* may be printed or displayed in a single colour, which is the predominant *ink* colour of the document, or, in the case of a pre-printed letterhead, the predominant *ink* colour of the letterhead.
- In a size (normally a minimum height of 20mm) that makes all features of the symbol distinguishable, without distortion of its proportions or infilling



Notes:

1. The Intertek ISO 9001 symbol is used as an example of format. ISO 14001, OHSAS 18001 etc. symbols are available on request.

SSIP scheme (UKAS accredited)

All uses of the SSIP logo and brand must be for SSIP membership purposes only. Suppliers are entitled to use the designated SSIP logo during any period of registration with a valid member scheme. The Terms and Conditions of use of the relevant SSIP logo are detailed in the SSIP Ltd Rules and Bylaws which are available via the SSIP website.

SSIP scheme Certificates carry the relevant SSIP logo. Clients are reminded that under the scheme recipients of their SSIP certificate on their own should not consider it evidence of registration. The [SSIP Portal website](#) provides the facility for verification of registration.



USE OF THE UKAS SYMBOL BY CERTIFIED CLIENTS

Document: F205-1-UKAS

Release Date: 14-MAR-2025

Page 2 of 2

References (links):

The national accreditation logo & symbols: conditions for use by UKAS and UKAS accredited organisations.

<https://www.gov.uk/government/publications/national-accreditation-logo-and-symbols-conditions-for-use>

<https://SSIP.org.uk/> (follow link to PDF of current Rules and Bylaws)

For further information please do not hesitate to contact your Assessor or Garrett Byrne, Technical Director

garrett.byrne@intertek.com